



# NFV Release 3 Description

---

# Contents

Foreword.....	3
1 Scope.....	3
2 References.....	3
3 Definitions and abbreviations.....	3
3.1 Definitions.....	3
3.2 Abbreviations.....	4
4 Release overview.....	4
4.1 Introduction.....	4
4.2 Overview.....	4
4.3 Summary of past Releases.....	4
5 Release 3 features.....	5
5.1 Overview.....	5
5.2 Functional features.....	6
5.2.1 Hardware-independent acceleration (ACCEL).....	6
5.2.2 Network acceleration for VNF (FASTSWITCH).....	7
5.2.3 Hypervisor-based virtualisation (HYPER).....	7
5.2.4 Hardware environment for NFV (HWENV).....	8
5.2.5 Management of NFV-MANO (NFV_M&Ms).....	8
5.2.6 VNF snapshotting (VNF_PHOTO).....	9
5.2.7 Policy management framework (POLICY).....	10
5.2.8 NFV-MANO admin domains (MANOMD).....	11
5.2.9 Host reservation (HOSTRSV).....	12
5.3 Security features.....	13
5.3.1 Secure sensitive componets in NFV Framework (SEC4SNC).....	13
5.3.2 Security management and monitoring for NFV (SECMM).....	13
6 NFV Release 3 published deliverables.....	14
6.1 Introduction.....	14
6.2 Stage 1 and stage 2 Group Specifications.....	14
6.2.1 Newly published Group Specifications.....	14
6.2.2 Evolved/propagated published deliverables from a previous Release.....	15
6.3 Stage 3 Group Specifications.....	16
6.4 Other Group Specifications.....	16
6.4.1 Security specifications.....	16
6.5 Newly published Group Reports.....	17
History.....	18

---

# Foreword

An initial set of capabilities of the Network Functions Virtualisation Release 3 had been identified and described in the NFV Release 3 Definition [1]. The present NFV Release 3 Description is issued once some of the capabilities identified within the Release 3 Definition document have been specified up to the level of requirements, architecture, interfaces and/or information model(s).

NFV Release 3 dependent deliverables are a subset of the whole ETSI ISG NFV's work programme. In addition to the release dependent specifications, the ETSI ISG NFV has published in the same timeframe several other reports and guidelines. All deliverables are available at ETSI's "Search and Browse Standards" tool [2].

**NOTE:** In case of discrepancies between the contents of the present document and the ETSI NFV Group Specifications/Reports, the latter source of information takes precedence.

---

## 1 Scope

The present document describes the NFV Release 3. It documents the contents of the Release 3, listing the specified features and the Group Specifications (GS) and Reports that comprise the Release.

The purpose of the Release Description is to also describe the normative work that ETSI ISG NFV has developed as part of Release 3 with the objective to specify a stable and internally aligned set of features.

---

## 2 References

For the purposes of the present document, the following references apply:

**NOTE:** While any hyperlinks included in this clause were valid at the time of publication ETSI cannot guarantee their long term validity.

- [1] ETSI ISG NFV, "NFV Release 3 Definition," Contribution NFV(18)000240 (and revisions).
- [2] ETSI, "Search and Browse Standards," [Online]. Available at <http://www.etsi.org/standards-search>. Access date: September 2018.
- [3] ETSI, "ETSI Directives," Feb. 2018. [Online]. Available at [https://portal.etsi.org/directives/38\\_directives\\_feb\\_2018.pdf](https://portal.etsi.org/directives/38_directives_feb_2018.pdf)
- [4] ETSI GS NFV 003, "Network Functions Virtualisation (NFV); Terminology for Main Concepts in NFV".
- [5] ETSI GS NFV 002, "Network Functions Virtualisation (NFV); Architectural Framework".
- [6] ETSI GS NFV-MAN 001, "Network Functions Virtualisation (NFV); Management and Orchestration,".

---

## 3 Definitions and abbreviations

### 3.1 Definitions

For the purposes of the present document, the terms and definitions in [4], and the following apply:

**Capability:** ability of an item to perform an action under given internal conditions in order to meet some demand.

**Feature:** functionality which represents added value to the system for a defined set of users.

**NOTE:** A user could be a network operator, service provider, VNF provider, or some other defined actor.

**Function:** the abstract concept of a particular piece of functionality in a device, entity or service.

**Functionality:** sum of actions or any aspect an item can do.

NOTE: Functionality can be associated to diverse items, including devices, entities, services and/or features.

**Release:** a set of deliverables that specify a well-defined, stable and internally consistent set of functions.

NOTE: A Release differs from the previous Release by having added and/or improved functionality introduced as a result of standardization work.

**Release Definition:** the ensemble of Features of a particular Release.

**Release Description:** the description of specification outputs delivered by the Release.

## 3.2 Abbreviations

For the purposes of the present document, the abbreviations in [4], and the following abbreviations apply:

ISG	Industry Specification Group
GR	Group Report
GS	Group Specification
WI	Work Item

---

# 4 Release overview

## 4.1 Introduction

ETSI ISG NFV Release 3 (hereinafter referred also as Release 3 or the present Release) builds on top and leverages the results of ETSI ISG NFV documents published by the end of 2014. The NFV Release 2 did not include any architectural changes and the list of capabilities part of the Release were thus aligned with the ETSI NFV Architectural Framework [6]. The Release 3 introduces new features on top of the Release 2 specified capabilities.

A high-level description of the main outcomes of the Release 3 are provided in clause 5. Clause 4.2 provides a statistical summary of the Release 3 in terms of number of specifications and reports. Clause 4.3 describes the capabilities that have been specified in past Releases, namely the Release 2. Clause 6 lists the published GS comprising the present Release.

## 4.2 Overview

At the time the present Description document version is delivered (November 2018), the Release 3 is comprised of:

- 18 Group Specifications
- 7 Group Reports

## 4.3 Summary of past Releases

The Release 3 is built upon the capabilities and features specified as part of the NFV Release 2. The Release 2 specified requirements, information models, data models and interface protocols to enable interoperable implementations of the NFV Architectural Framework [5].

The NFV Release 2 specified in the following categories:

- Functional requirements applicable to the Virtualised Infrastructure Manager (VIM), VNF Manager (VNFM) and Network Functions Virtualisation Orchestrator (NFVO) functional blocks of NFV-MANO identified by the NFV Architectural Framework.

- Requirements applicable to the reference points Or-Vi, Vi-Vnfm, Or-Vnfm, Os-Ma-nfvo, Ve-Vnfm-vnf and Ve-Vnfm-em identified by the NFV Architectural Framework and NFV-MANO Architectural Framework [7].
- Requirements, specification of interfaces and protocols defined at the reference points Or-Vi, Vi-Vnfm, Or-Vnfm, Os-Ma-nfvo and Ve-Vnfm identified by the NFV Architectural Framework and NFV-MANO Architectural Framework, including:
  - \* Virtualised resources information management,
  - \* Virtualised resources management and change notification,
  - \* Virtualised resources reservation management and change notification,
  - \* Virtualised resources quota management and change notification,
  - \* Virtualised resources fault, performance and capacity management,
  - \* VNF Packaging and software image management,
  - \* Network Forwarding Path (NFP) management,
  - \* VNF lifecycle management and change notification,
  - \* Granting of VNF lifecycle operation(s),
  - \* VNF fault, performance and configuration management,
  - \* VNF indicator(s),
  - \* Network Service (NS) lifecycle management and change notification, and
  - \* NS fault and performance management.
- Requirements, information model specification and data models of Network Service Descriptor (NSD),
- Requirements for VNF Packaging, and requirements, information model specification and data models of VNF Descriptor (VNFD), and
- Requirements for hardware-independent acceleration and virtual switch acceleration.
- Requirements related to the security aspects concerning the specified capabilities.

---

## 5 Release 3 features

### 5.1 Overview

The new features introduced as part of the Release 3 are listed in Table 5.1-1.

NOTE: The table 5.1-1 lists only the Release 3 features whose specification has been completed with normative provisions at least from an architecture, functional and information model perspective (stage 2).

**Table 5.1-1: Release 3 features**

Feature name	Acronym	Id (from the Definition document [1])	FEAT id (from Annex B of the Definition [1])
Hardware-independent acceleration	ACCEL	R02.CAP12	N/A
Network Acceleration for VNF	FASTSWITCH	R03.F07	N/A
Hypervisor-based virtualisation	HYPER	R03.F16	N/A
Hardware environment for NFV	HWENV	R03.F13	N/A
Management of NFV-MANO	NFV_M&Ms	R03.F04	FEAT11
VNF Snapshotting	VNF_PHOTO	R03.F11	FEAT15
Policy management framework	POLICY	R03.F14	FEAT07
NFV-MANO admin domains	MANOMD	R03.F18	FEAT08
Host reservation	HOSTRSV	N/A	FEAT04
Secure sensitive components in NFV Framework	SEC4SNC	R03.F09	N/A
Security management and monitoring for NFV	SECMM	R03.F08	FEAT18

## 5.2 Functional features

### 5.2.1 Hardware-independent acceleration (ACCEL)

#### 5.2.1.1 Description

The feature provides NFV related management and orchestration operations to flexibly allocate VNFs to available NFVI and acceleration components by exposing acceleration capabilities instead of specific acceleration resource characteristics.

Four interfaces support the exchanges between the NFVI and VIM regarding acceleration resource management:

- Acceleration Resource Discovery,
- Acceleration Resource Lifecycle Management,
- Acceleration Resource Fault Management, and
- Acceleration Image Management.

#### 5.2.1.2 Architecture scope

The feature concerns the following main functional blocks and references points:

- Functional blocks: NFVI and VIM.
- Reference points: Nf-Vi.

#### 5.2.1.3 Specification results

The feature has been specified in the specifications and reports listed in table 5.2.1.3-1. Refer to clause 6 for the latest version available of the document.

**Table 5.2.1.3-1: Specification results of feature “Hardware-independent acceleration”**

Document Id.	Stage	Description of the feature specification
ETSI GS NFV-IFA 019	Stage 2	Functional requirements to support acceleration related interfaces on the Nf-Vi reference point. Functional requirements for the acceleration related interfaces: Acceleration Resource Discovery, Acceleration Resource Lifecycle Management, Acceleration Resource Fault Management, and Acceleration Image Management. Functional and information model description of four new interfaces listed above.

## 5.2.2 Network acceleration for VNF (FASTSWITCH)

### 5.2.2.1 Description

The feature encompasses the interaction (e.g., interfaces) between the virtualization layer and switching accelerator drivers to enable network acceleration transparent to the VNF, and to be independent of any accelerator vendor and type. The feature specification is built on the use of the Dynamic Optimization of Packet Flow Routing (DOPFR) mechanism which offers the capability to accelerate the data plane processing of a VNF on a dedicated switch.

Three interfaces exposed by the switches support the exchanges between the VNF and the dedicated switch:

- Forwarding Table Configuration,
- Performance Monitoring, and
- Unmatched Packets Forward Notification.

### 5.2.2.2 Architecture scope

The feature concerns the following main functional blocks and references points:

- Functional blocks: NFVI and VNF.
- Reference points: Vn-Nf.

### 5.2.2.3 Specification results

The feature has been specified in the specifications and reports listed in table 5.2.2.3-1. Refer to clause 6 for the latest version available of the document.

**Table 5.2.2.3-1: Specification results of feature “network acceleration for VNF”**

Document Id.	Stage	Description of the feature specification
ETSI GS NFV-IFA 018	Stage 2	Functional and information model description of the Forwarding Table Configuration, Performance Monitoring and Unmatched Packets Forward Notification interfaces exposed by the dedicated switch towards the VNF at the Vn-Nf reference point.

## 5.2.3 Hypervisor-based virtualisation (HYPER)

### 5.2.3.1 Description

A hypervisor mediates the resources of the compute domain to the virtual machines of the software applications and offers one of the virtualization environment solutions for the instantiation of VNFs. The hypervisor itself is a software environment which partitions the underlying physical resources and creates VMs, and isolates the VMs from each other.

The present feature covers hypervisor-related functions needed to support NFV use cases. Focus areas of specification concern to:

- Real-time guest support,
- Networking, in particular regarding virtual switch resiliency,
- NFV acceleration support,
- Security,
- Energy efficiency, and
- Performance management.

### 5.2.3.2 Architecture scope

The feature concerns the following main functional blocks and references points:

- Functional blocks: NFVI.
- Reference points: Nf-Vi.

### 5.2.3.3 Specification results

The feature has been specified in the specifications and reports listed in table 5.2.3.3-1. Refer to clause 6 for the latest version available of the document.

**Table 5.2.3.3-1: Specification results of feature “hypervisor-based virtualisation”**

Document Id.	Stage	Description of the feature specification
ETSI GS NFV-EVE 001	Stage 1 and 2	Service and functional requirements in the areas of: real-time guest support, virtual switch resiliency, NFV acceleration, security, energy efficiency and performance management.

## 5.2.4 Hardware environment for NFV (HWENV)

### 5.2.4.1 Description

The feature deals with providing a reference framework for interoperable hardware ecosystem and telecommunications physical environment to support NFV deployments. The reference framework enables compatibility between hardware equipment provided by different hardware vendors and suppliers.

The feature scope encompasses the definition of requirements in the areas of: operations, environmental, mechanical, cabling, maintenance and security.

### 5.2.4.2 Architecture scope

The feature concerns the following main functional blocks and references points:

- Functional blocks: NFVI.
- Reference points: none.

### 5.2.4.3 Specification results

The feature has been specified in the specifications and reports listed in table 5.2.4.3-1. Refer to clause 6 for the latest version available of the document.

**Table 5.2.4.3-1: Specification results of feature “hardware environment for NFV”**

Document Id.	Stage	Description of the feature specification
ETSI GS NFV-EVE 007	Stage 1 and 2	Service and functional requirements in the areas of: racks/frames, processors and storage, power, interconnections, cooling, hardware platform management, hardware security, radiated emissions and electromagnetic compliance, climatic and accousting considerations, timing and synchronization issues, and reliability.

## 5.2.5 Management of NFV-MANO (NFV\_M&Ms)

### 5.2.5.1 Description

The feature enables the management of the NFV-MANO framework, thus providing the capabilities to configure and monitor NFV-MANO functional entities. The framework for the management of NFV-MANO is based on the definition and exposure of a set of management interfaces by the NFV-MANO functional entities. The set of interfaces can be consumed in two ways: a) by an external entity beyond NFV-MANO, and/or, b) by an NFV-MANO functional entity.

As part of the feature, the present release specifies interface requirements, the interfaces and the necessary information elements enabling the fault, configuration and information, performance, state and log management of NFV-MANO functional entities.



### 5.2.5.2 Architecture scope

The feature concerns the following main functional blocks and references points:

- Functional blocks: NFVO, VNFM, VIM.
- Reference points: certain interfaces/operations may be exposed over Os-Ma-nfvo, Or-Vnfm, Or-Vi, and Vi-Vnfm.

### 5.2.5.3 Specification results

The feature has been specified in the specifications and reports listed in table 5.2.5.3-1. Refer to clause 6 for the latest version available of the document.

**Table 5.2.5.3-1: Specification results of feature “management of NFV-MANO”**

Document Id.	Stage	Description of the feature specification
ETSI GR NFV-IFA 021	Stage 0	Feasibility study of the feature. Use cases related to the management of NFV-MANO functional entities.
ETSI GS NFV-IFA 010	Stage 1 and 2	Service and functional requirements for NFV-MANO functional blocks to support the NFV-MANO management capabilities.
ETSI GS NFV-IFA 031	Stage 2	Functional requirements of NFV-MANO management interfaces. Functional and information model description of NFV-MANO management interfaces: configuration and information management, performance management, state management, fault management, log management. Specification of metrics and performance measurements. Requirements related to security.
ETSI GR NFV-IFA 015	Stage 2	Information model (with UML representations) of NFV-MANO management derived from information elements specified in ETSI GS NFV-IFA 031.

## 5.2.6 VNF snapshotting (VNF\_PHOTO)

### 5.2.6.1 Description

The feature concerns the creation and use of VNF snapshots. A VNF snapshot is a replication of a VNF instance at a specific point in time. A VNF snapshot package collects the files representing a VNF snapshot, and the package can be distributed to fulfil various network operator use cases, such as root cause analysis, testing, etc.

The feature implementation enables operations on and management of VNF snapshots and their corresponding packages. Snapshots can be triggered for the whole VNF instance, or on individual VNF Components (VNFC) of a VNF instance. As part of the creation and reversion of VNF snapshots, attaching and detaching of virtualised storage resources that are part of the VNF is performed.

In addition, the feature also enables the mechanism to package the VNF/VNFC snapshots for distribution and operation purposes. A new interface provides the operations allowing a consumer of the interface to create, build, upload, extract, query information, fetch and delete the VNF/VNFC snapshot packages.

### 5.2.6.2 Architecture scope

The feature concerns the following main functional blocks and references points:

- Functional blocks: NFVO, VNFM, VIM, VNF.
- Reference points: Os-Ma-nfvo, Or-Vnfm, Or-Vi, Vi-Vnfm, and Ve-Vnfm.

### 5.2.6.3 Specification results

The feature has been specified in the specifications and reports listed in table 5.2.6.3-1. Refer to clause 6 for the latest version available of the document.

**Table 5.2.6.3-1: Specification results of feature “VNF snapshotting”**

Document Id.	Stage	Description of the feature specification
--------------	-------	--

ETSI GR NFV-TST 005	Stage 0	Feasibility study of the feature. Use cases related to the use and management of VNF snapshots and VNF snapshot package.
ETSI GS NFV-IFA 010	Stage 1 and 2	Functional requirements for NFV-MANO functional blocks to support the handling of VNF snapshots and VNF snapshot package.
ETSI GS NFV-IFA 005	Stage 2	Requirements to extend the Virtualised Resource Management interface to attach and detach virtualised storage resources. Extensions to interfaces operations create and revert snapshot of virtualised resources.
ETSI GS NFV-IFA 006	Stage 2	Requirements to extend the Virtualised Resource Management interface to attach and detach virtualised storage resources. Extensions to interfaces operations create and revert snapshot of virtualised resources.
ETSI GS NFV-IFA 007	Stage 2	Functional requirements for the VNF Snapshot Package Management support on the Or-Vnfm reference point. Extensions to the VNF Lifecycle Management interface to support creating VNF snapshots, reverting to VNF snapshots, querying information about available snapshots, deleting the information associated to the snapshots. Functional and information model description of the new VNF Snapshot Package Management interface, and of new operations to support the VNF snapshot in the VNF LCM interface.
ETSI GS NFV-IFA 008	Stage 2	Functional requirements for the VNFC Snapshot Package Management support on the Ve-Vnfm reference point. Extensions to the VNF Lifecycle Management interface to support creating VNF/VNFC snapshots, reverting to VNF/VNFC snapshots, querying information about available snapshots, deleting the information associated to the snapshots, and confirming the VNF snapshot. Functional requirements for the new VNFC Snapshot Package Management interface. Functional and information model description of the new VNF Snapshot Package Management interface, and of new operations to support the VNFC snapshot in the VNF LCM interface.
ETSI GS NFV-IFA 011	Stage 2	Addition of attributes and new information elements to support the parameterization needed for the create and revert snapshot operations. Addition of events related to snapshots for the LCM scripts.
ETSI GS NFV-IFA 013	Stage 2	Functional requirements for the VNF Snapshot Package Management support on the Os-Ma-nfvo reference point. Extensions to the NS Lifecycle Management interface to support creating VNF snapshots, reverting to VNF snapshots, querying information about available snapshots, deleting the information associated to the snapshots as part of the update of an NS. Functional and information model description of the new VNF Snapshot Package Management interface, and of new operations to support the VNF snapshot in the VNF LCM interface.
ETSI GR NFV-IFA 015	Stage 2	Information model (with UML representations) of VNF Snapshot and VNF Snapshot Packaging derived from information elements specified in the rest of documents listed in the present table.

## 5.2.7 Policy management framework (POLICY)

### 5.2.7.1 Description

The feature introduces a policy management framework for NFV-MANO, including distribution of policy, policy conflict detection and resolution, and federation of policy domains. The feature addresses the interface operation definition when policy management is introduced into NFV-MANO.

As part of the feature, a new interface applicable to multiple reference points (see clause 5.2.7.2) is introduced. The interface allows to invoke policy management operations towards the corresponding NFV-MANO functional block. The interface defines the follow operations: transfer, delete, query, activate and deactivate policy. The interface also exposes the subscription and notification mechanism for issuing notifications concerning policy handling.

### 5.2.7.2 Architecture scope

The feature concerns the following main functional blocks and references points:

- Functional blocks: NFVO, VNFM, VIM.

- Reference points: Os-Ma-nfvo, Or-Vnfm, Or-Vi, Vi-Vnfm, and Ve-Vnfm.

### 5.2.7.3 Specification results

The feature has been specified in the specifications and reports listed in table 5.2.7.3-1. Refer to clause 6 for the latest version available of the document.

**Table 5.2.7.3-1: Specification results of feature “policy management framework”**

Document Id.	Stage	Description of the feature specification
ETSI GR NFV-IFA 023	Stage 0	Feasibility study of the feature. Use cases related to the introduction of policy usage and management into NFV-MANO.
ETSI GS NFV-IFA 010	Stage 1 and 2	Functional requirements for NFV-MANO functional blocks (NFVO, VNFM and VIM) to support the capability to manage NFV-MANO policies. Definition of scope and category of policies applicable to the different reference points (informative).
ETSI GS NFV-IFA 005	Stage 2	Functional requirements of the Policy Management interface on the Or-Vi reference point. Functional and information model description of the Policy Management interface.
ETSI GS NFV-IFA 006	Stage 2	Functional requirements of the Policy Management interface on the Vi-Vnfm reference point. Functional and information model description of the Policy Management interface.
ETSI GS NFV-IFA 007	Stage 2	Functional requirements of the Policy Management interface on the Or-Vnfm reference point. Functional and information model description of the Policy Management interface.
ETSI GS NFV-IFA 008	Stage 2	Functional requirements of the Policy Management interface on the Ve-Vnfm reference point. Functional and information model description of the Policy Management interface.
ETSI GS NFV-IFA 013	Stage 2	Functional requirements of the Policy Management interface on the Os-Ma-nfvo reference point. Functional and information model description of the Policy Management interface.
ETSI GR NFV-IFA 015	Stage 2	Information model (with UML representations) of Policy Management derived from information elements specified in in the rest of documents listed in the present table.

## 5.2.8 NFV-MANO admin domains (MANOMD)

### 5.2.8.1 Description

The feature concerns with the support of NFV-MANO services across multiple administrative domains. The feature develops the necessary enhancements to the NFV Architectural Framework to enable the interactions between NFVOs in different administrative domains for:

- The management of composite Network Service (NS) and its constituent nested NSs in different administrative domains.

**Editor’s Note:** the feature is developed in two phases. In the second phase, the following two capabilities are considered: the interactions between NFVO instances in different administrative domains to support NFVI as a Service (NFVIaaS) when the Single Logical Point of Contact (SLPOC) is integrated in the NFVO, and the interactions between VIM instances of the same administrative domains for NFVIaaS when the SLPOC is integrated in VIMs. The bullet list above will be updated upon completion of the additional capabilities.

### 5.2.8.2 Architecture scope

The feature concerns the following main functional blocks and references points:

- Functional blocks: NFVO.

- Reference points: Or-Or (new across administrative domains).

### 5.2.8.3 Specification results

The feature has been specified in the specifications and reports listed in table 5.2.8.3-1. Refer to clause 6 for the latest version available of the document.

**Table 5.2.8.3-1: Specification results of feature “NFV-MANO admin domains”**

Document Id.	Stage	Description of the feature specification
ETSI GS NFV-IFA 010	Stage 1 and 2	Service and functional requirements for the NFVO to support the management of network services in a multiple administrative domain environment capabilities.
ETSI GS NFV-IFA 030	Stage 2	Functional requirements for the Or-Or reference point. Functional requirements for the following interfaces concerning the support of NS in multiple administrative domains: NS lifecycle management, NS lifecycle operation granting, NS instance usage notification, NS performance management, and NS fault management. Functional and information model description of the interfaces listed above. Requirements related to security when handling NS in multiple administrative domains.
ETSI GR NFV-IFA 015	Stage 2	Information model (with UML representations) of NS across multiple administrative domains management derived from information elements specified in in the rest of documents listed in the present table.

## 5.2.9 Host reservation (HOSTRSV)

### 5.2.9.1 Description

The feature adds the capability to the NFV-MANO architectural framework to support the reservation of compute hosts (see clause 3.1 in ETSI GS NFV-PER 001) in the NFVI. The feature allows the network operator to guarantee that the allocation of some of the virtualised resources takes place on certain hosts isolated from others, e.g., under certain security enclaves, or to guarantee the availability of resources at the host level.

### 5.2.9.2 Architecture scope

The feature concerns the following main functional blocks and references points:

- Functional blocks: NFVO, VNFM, VIM.
- Reference points: Or-Vi, Vi-Vnm, Os-Ma-nfvo.

### 5.2.9.3 Specification results

The feature has been specified in the specifications and reports listed in table 5.2.9.3-1. Refer to clause 6 for the latest version available of the document.

**Table 5.2.9.3-1: Specification results of feature “Host reservation”**

Document Id.	Stage	Description of the feature specification
ETSI GS NFV-IFA 010	Stage 1 and 2	Functional requirements for the NFVO and VIM related to NFVI capacity management including compute hosts. Functional requirements for the NFVO and VIM to support capabilities about compute host reservation management (creation, query, etc.).
ETSI GS NFV-IFA 005	Stage 2	Interface requirements for compute host reservation management. Functional and information model description of the Compute Host Reservation Management interface, Compute Host Reservation Change Notification interface, and Compute Host Capacity Management interface interface.
ETSI GS NFV-IFA 007	Stage 2	Updates to the VNF Lifecycle Operation Granting interface adding support for reserved compute hosts.
ETSI GS NFV-IFA 013	Stage 2	Interface requirements for NFVI Capacity Information. Functional and information model description of the NFVI Capacity Information interface.

ETSI GR NFV-IFA 015	Stage 2	Information model (with UML representations) of Host Reservation management derived from information elements specified in in the rest of documents listed in the present table.
---------------------	---------	--

## 5.3 Security features

### 5.3.1 Secure sensitive componets in NFV Framework (SEC4SNC)

#### 5.3.1.1 Description

The feature concerns to ensuring the isolation of sensitive workloads from non-sensitive workloads sharing an infrastructure platform. Workloads refer to the components of the NFV architecture that are virtualised in the context of a particular deployment and running on host systems. A host system is referred as the collection of hardware, software and firmware making up the system, which in NFVI terms refer to the virtualisation layer (e.g., hypervisor) and host (e.g., physical compute).

To ensure the isolation of sensitive workloads, requirements for different aspects are considered, such as:

- Platform, including: core hardware and core software.
- Lifecycle, including: Trusted Computing Base, workload provisioning, runtime checks, entropy and random numbers, cryptographic primitives, installed software and configuration on host system, de-provisioning of workloads, and failure handling,

From a system hardening perspective, specific technologies ensure an appropriate security posture for the host system. The techniques and technologies concern cover the following aspects: secure logging, OS-level access and confinement control, physical control and alarms, authentication control, access control, communications security, boot, attestation, hardware-mediated execution enclaves, Hardware-Based Root of Trust, self-encrypting storage, direct access to memory, hardware security modules, software integrity protection and verification.

#### 5.3.1.2 Architecture scope

The feature concerns the following main functional blocks and references points:

- Functional blocks: NFVI, VNF.
- Reference points: Vn-Nf.

#### 5.3.1.3 Specification results

The feature has been specified in the specifications and reports listed in table 5.3.1.3-1. Refer to clause 6 for the latest version available of the document.

**Table 5.3.1.3-1: Specification results of feature “Secure sensitive components in NFV framework”**

Document Id.	Stage	Description of the feature specification
ETSI GS NFV-SEC 012	Stage 1	Requirements for the host systems that execute the workloads.
NOTE: Technologies analysed in the ETSI GS NFV-SEC 012 are introduced and defined in ETSI GR NFV-SEC 009.		

## 5.3.2 Security management and monitoring for NFV (SECMM)

### 5.3.2.1 Description

The feature concerns to NFV security lifecycle management for the establishment of consistent security policies and uniform enforcement of the policies on virtualised networks. As part of the feature outcomes, enhancements to the architecture are introduced whereby different functional blocks responsible for security monitoring and management interface with other NFV blocks such as NFVI, VNF and NFV-MANO functional blocks.

In addition, the feature considers the needed security requirements for the NFV-MANO functional blocks and the reference points in between and to/from the NFV-MANO functional blocks to reduce the security risks in terms of authenticity, integrity, confidentiality and privacy.

### 5.3.2.2 Architecture scope

The feature concerns the following main functional blocks and references points:

- Functional blocks: Security Manager (SM) (new), NFVO, VNFM, VIM.
- Reference points:
  - + New reference points Sc-Vi, Sc-Vnfm, and Sc-Or for security monitoring and management.
  - + Or-Vnfm, Vi-Vnfm, Or-Vi on security requirements.

### 5.3.2.3 Specification results

The feature has been specified in the specifications and reports listed in table 5.3.2.3-1. Refer to clause 6 for the latest version available of the document.

**Table 5.3.2.3-1: Specification results of feature “Security management and monitoring for NFV”**

Document Id.	Stage	Description of the feature specification
ETSI GS NFV-SEC 013	Stage 1 and 2	Functional and security requirements for automated, dynamic security policy management and security function lifecycle management, and security monitoring of NFV systems. Architecture enhancements for NFV security monitoring and management.
ETSI GS NFV-SEC 014	Stage 1 and 2	Security requirements for the NFV-MANO functional blocks and NFV-MANO reference points.

**Editor’s Note:** additional specification work is ongoing with regards to the definition of interfaces exposed/consumed over the new referred reference points.

## 6 NFV Release 3 published deliverables

### 6.1 Introduction

The present clause 6 lists the published deliverables (Group Specifications and Group Reports) associated to the Release 3. The NFV Release 3 is comprised of multiple specification and reports, which can be categorized according to different specification stages (stage 1, stage 2, etc.) and compliance (normative or informative).

NOTE 1: The versions among the different deliverables may differ, e.g., a deliverable may have been updated and published with a newer version due to maintenance, whereas some other deliverable not. The latest available published version of each deliverable is indicated in the following tables.

NOTE 2: The present clause 6 only lists GS and GR that contain the specification of features listed in clause 5. GRs associated to features that have not reached a status of at least specifying normative provisions of architecture, functional and information model (stage 2) are not listed. A complete list of published specifications and reports associated to Release 3 is available in the Release 3 Definition document.

### 6.2 Stage 1 and stage 2 Group Specifications

#### 6.2.1 Newly published Group Specifications

The newly published specifications associated to the Release 3 are listed in Table 6.2.1-1.

**Table 6.2.1-1: Newly published stage 1 and stage 2 Group Specifications**

<b>Id.</b>	<b>Version(s)</b>	<b>Title</b>	<b>Related feature(s)</b>
ETSI GS NFV-EVE 001	V3.1.1	Network Functions Virtualisation (NFV) Release 3; Virtualisation Technologies; Hypervisor Domain Requirements specification	R03.F16: Hypervisor-based virtualisation (HYPER)
ETSI GS NFV-EVE 007	V3.1.2 Old: V3.1.1	Network Functions Virtualisation (NFV) Release 3; NFV Evolution and Ecosystem; Hardware Interoperability Requirements Specification	R03.F13: Hardware Environment for NFV (HWENV)
ETSI GS NFV-IFA 018	V3.1.1	Network Functions Virtualisation (NFV); Acceleration Technologies; Network Acceleration Interface Specification; Release 3	R03.F07: Network Acceleration for VNF (FASTSWITCH)
ETSI GS NFV-IFA 019	V3.1.1	Network Functions Virtualisation (NFV); Acceleration Technologies; Acceleration Resource Management Interface Specification; Release 3	R02.CAP12: Hardware independent acceleration (ACCEL)
ETSI GS NFV-IFA 030	V3.1.1	Network Functions Virtualisation (NFV) Release 3; Management and Orchestration; Multiple Administrative Domain Aspect Interfaces Specification	R03.F18: NFV-MANO admin domains (MANOMD)
ETSI GS NFV-IFA 031	V3.1.1	Network Functions Virtualisation (NFV) Release 3; Management and Orchestration; Requirements and interfaces specification for management of NFV-MANO	R03.F04: Management of NFV-MANO (NFV_M&Ms)

## 6.2.2 Evolved/propagated published deliverables from a previous Release

The published deliverables associated to the Release 3 that have been evolved/propagated from a previous Release are listed in table 6.2.2-1.

**Table 6.2.2-1: Published deliverables evolved/propagated from a previous Release**

<b>Id.</b>	<b>Version(s)</b>	<b>Title</b>	<b>Related feature(s)</b>
ETSI GS NFV-IFA 005	V3.1.1	Network Functions Virtualisation (NFV) Release 3; Management and Orchestration; Or-Vi reference point - Interface and Information Model Specification	R03.F11: VNF snapshotting (VNF_PHOTO) R03.F14: Policy management framework (POLICY) FEAT04: Host reservation (HOSTRSV)
ETSI GS NFV-IFA 006	V3.1.1	Network Functions Virtualisation (NFV) Release 3; Management and Orchestration; Vi-Vnfm reference point - Interface and Information Model Specification	R03.F11: VNF snapshotting (VNF_PHOTO) R03.F14: Policy management framework (POLICY)
ETSI GS NFV-IFA 007	V3.1.1	Network Functions Virtualisation (NFV) Release 3; Management and Orchestration; Or-Vnfm reference point - Interface and Information Model Specification	R03.F11: VNF snapshotting (VNF_PHOTO) R03.F14: Policy management framework (POLICY) FEAT04: Host reservation (HOSTRSV)
ETSI GS NFV-IFA 008	V3.1.1	Network Functions Virtualisation (NFV) Release 3; Management and Orchestration; Ve-Vnfm reference point - Interface and Information Model Specification	R03.F11: VNF snapshotting (VNF_PHOTO) R03.F14: Policy management framework (POLICY)
ETSI GS NFV-IFA 010	V3.1.1	Network Functions Virtualisation (NFV) Release 3; Management and Orchestration; Functional requirements specification	R03.F04: Management of NFV-MANO (NFV_M&Ms) R03.F11: VNF snapshotting (VNF_PHOTO) R03.F18: NFV-MANO admin domains (MANOMD) R03.F14: Policy management framework (POLICY) FEAT04: Host reservation (HOSTRSV)

ETSI GS NFV-IFA 011	V3.1.1	Network Functions Virtualisation (NFV) Release 3; Management and Orchestration; VNF Descriptor and Packaging Specification	R03.F11: VNF snapshotting (VNF_PHOTO)
ETSI GS NFV-IFA 013	V3.1.1	Network Functions Virtualisation (NFV) Release 3; Management and Orchestration; Os-Ma-Nfvo reference point - Interface and Information Model Specification	R03.F11: VNF snapshotting (VNF_PHOTO) R03.F14: Policy management framework (POLICY) FEAT04: Host reservation (HOSTRSV)
ETSI GS NFV-IFA 014	V3.1.1	Network Functions Virtualisation (NFV) Release 3; Management and Orchestration Network Service Templates Specification	See note 2.
ETSI GR NFV-IFA 015	V3.1.1	Network Functions Virtualisation (NFV) Release 3; Management and Orchestration; Report on NFV Information Model	R03.F04: Management of NFV-MANO (NFV_M&Ms) R03.F11: VNF snapshotting (VNF_PHOTO) R03.F18: NFV-MANO admin domains (MANOMD) R03.F14: Policy management framework (POLICY) FEAT04: Host reservation (HOSTRSV)
ETSI GR NFV-IFA 016	V3.1.1	Network Functions Virtualisation (NFV) Release 3; Information Modeling; Papyrus Guidelines	See note 1.
ETSI GR NFV-IFA 017	V3.1.1	Network Functions Virtualisation (NFV) Release 3; Information Modeling; UML Modeling Guidelines	See note 1.
ETSI GS NFV-TST 008	V3.1.1	Network Functions Virtualisation (NFV) Release 3; Testing; NFVI Compute and Network Metrics Specification	N/A
NOTE 1: The specification document from the previous Release has been updated into the present Release 3 by updating the guidelines used to build the Information Models present in ETSI GR NFV-IFA 015.			
NOTE 2: The specification has been updated into the present Release 3, but without outcomes of specific Release 3 features (e.g., maintenance performed in Release 2 specification versions).			

## 6.3 Stage 3 Group Specifications

None currently published.

## 6.4 Other Group Specifications

### 6.4.1 Security specifications

The newly published deliverables of Release 3 specifying security aspects are listed in table 6.4.1-1.

**Table 6.4.1-1: Published deliverables related to security**

Id.	Version(s)	Title	Related feature(s)
ETSI GS NFV-SEC 012	V3.1.1	Network Functions Virtualisation (NFV) Release 3; Security; System architecture specification for execution of sensitive NFV components	R03.F09: Secure sensitive components in NFV Framework (SEC4SNC)
ETSI GS NFV-SEC 013	V3.1.1	Network Functions Virtualisation (NFV) Release 3; Security; Security Management and Monitoring Specification	R03.F08: Security management and monitoring for NFV (SECMM)
ETSI GS NFV-SEC 014	V3.1.1	Network Functions Virtualisation (NFV) Release 3; NFV Security; Security Specification for MANO Components and Reference Points	R03.F08: Security management and monitoring for NFV (SECMM)



## 6.5 Newly published Group Reports

The newly published reports associated to the Release 3 are listed in Table 6.5-1.

**Table 6.5-1: Newly published Group Reports**

<b>Id.</b>	<b>Version(s)</b>	<b>Title</b>	<b>Related feature(s)</b>
ETSI GR NFV-IFA 021	V3.1.1	Network Functions Virtualisation (NFV) Release 3; Management and Orchestration; Report on management of NFV-MANO and automated deployment of EM and other OSS functions	R03.F04: Management of NFV- MANO (NFV_M&Ms)
ETSI GR NFV-IFA 023	V3.1.1	Network Functions Virtualisation (NFV); Management and Orchestration; Report on Policy Management in MANO; Release 3	R03.F14: Policy management framework (POLICY)
ETSI GR NFV-IFA 028	V3.1.1	Network Functions Virtualisation (NFV) Release 3; Management and Orchestration; Report on architecture options to support multiple administrative domains	R03.F18: NFV-MANO admin domains (MANOMD)
ETSI GR NFV-TST 005	V3.1.1	Network Functions Virtualisation (NFV); Continuous Development and Integration; Report on use cases and recommendations for VNF Snapshot	R03.F11: VNF snapshotting (VNF_PHOTO)

---

## History

<b>Document history</b>		
<b>Version</b>	<b>Date</b>	<b>Changes</b>
0.0.1	Sep. 2018	Initial draft.
0.0.2	Oct. 2018	Addition of security features and other features completed in 1H2018 by NFV-IFA.
0.0.3	Nov. 2018	Implemented feedback received from feature primes and small edits.
0.1.0	Nov. 2018	First version uploaded to the ETSI NFV Portal.